



# ALCOLITE RUMBLER STRIPS

PRODUCT CODE : AL-1011

## Description

Alcolite Plastic Safety Rumble Strip is tough, durable polyurethane Rumble Strips which are ideal to slow down traffic or as use as a lane divider. It's great for large car parks to slow traffic where pedestrians might be crossing. They're simple to install with bolts, or even glue if needs be.

Plastic Safety Rumble Strip is tough, durable polyurethane Rumble Strips which are ideal to slow down traffic or as use as a lane divider. It's great for large car parks to slow traffic where pedestrians might be crossing. They're simple to install with bolts, or even glue if needs be.

### • There are some following features :-

- Lane Departure Warning: Rumble strips placed along the edge or centerline of roads alert drivers if they are drifting out of their lane, helping to prevent accidents caused by unintended lane departures.
- Speed Reduction: Rumble strips can be installed in areas where speed reduction is necessary, such as approaching sharp curves, intersections, toll booths, or work zones. The sound and vibration they produce encourage drivers to slow down.
- 4. Reduced Collisions: By alerting drivers to potential dangers, rumble strips can help reduce the frequency and severity of accidents, thereby enhancing road safety.

## Dimension

- Size :- 500mm(L) X 100mm(W) X 15mm(H)
- Weight: 0.5kg.
- Material: Polyurethane



FOR MORE INFO VISIT US  
[www.alcolite.co.in](http://www.alcolite.co.in)



केंद्रीय पेट्रोरसायन अभियांत्रिकी

एवं प्रौद्योगिकी संस्थान (सिपेट)

(पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान)

रसायन एवं पेट्रोरसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

डी सी आर यू एस टी कैम्पस, 50 माईल स्टोन,

एन एच-1 मुरथल, जिला-सोनीपत-131039(हरियाणा)

फोन : 0130-2203000-29

ई-मेल : murthal@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : गिण्डी, चेन्नै-600 032



सिपेट CIPET



एक कदम स्वच्छता की ओर



ONE EARTH - ONE FAMILY - ONE FUTURE

CENTRAL INSTITUTE OF PETROCHEMICALS  
ENGINEERING & TECHNOLOGY (CIPET)

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Near DCRUST Campus, 50th Mile Stone, NH-1

Murthal, Distt. Sonapat-131039 (Haryana)

Phone : 0130-2203000-29

E-mail : murthal@cipet.gov.in

Website : www.cipet.gov.in

Head Office : Guindy, Chennai - 600 032

सिपेट / मुरथल / परीक्षण / 2023-24 / 272

दिनांक : 14/06/2023

सेवा में,

**Alcolite India Road Safety Pvt Ltd**

**Kh.No-37/23,Ground Floor,**

**Village Mundka ,Delhi-110041**

विषय : परीक्षण प्रतिवेदन संख्या 091 F&N भेजने के सम्बन्ध में।

संदर्भ : आपका पत्र Ref. No. – Nil दिनांक:-04/05/2023

महोदय,

कृपया आपके **Testing of Rumble Strips Sample – reg.** के परीक्षण के संदर्भ में इस पत्र के साथ परीक्षण प्रतिवेदन संख्या 091 F&N संलग्न प्राप्त करें।

इस पत्र के साथ बीजक संख्या 23-24/TS095/0169 दिनांक 16/06/2023 को संलग्न है। इस पत्र के साथ ग्राहक संतुष्टी पत्र को संलग्न कर रहे हैं। कृपया करके आप इसे भरकर हमारे रिकार्ड के लिए वापस भेज दें।

धन्यवाद,

भवदीय

  
**Joint Director & Head**

संलग्नक: परीक्षण प्रतिवेदन संख्या 091 F&N इस पत्र के साथ बीजक संख्या 23-24/TS095/0169.

केंद्रीय पेट्रोकेमिकल्स इंजीनियरिंग

एवं तकनीकी संस्थान (सिपेट)

(पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान)

रसायन एवं पेट्रो रसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

डी सी आर यू एस टी कैम्पस, 50 माईल स्टोन,

एन एच-1 मुरथल, जिला-सोनीपत-131039(हरियाणा)

फोन : 0130-2203000-29

फैक्स : 0130-2203010

ई-मेल : murthal@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : गिण्डी, चेन्नई - 600 032



CIPET सि पेट

probe · perform · practice · Plastics



एक कदम स्वच्छता की ओर



आज़ादी का  
अमृत महोत्सव

CENTRAL INSTITUTE OF PETROCHEMICALS

ENGINEERING & TECHNOLOGY (CIPET)

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Near DCRUST Campus, 50th Mile Stone, NH-1

Murthal, Distt. Sonapat-131039 (Haryana)

Phone : 0130-2203000-29

Fax : 0130-2203010

E-mail : murthal@cipet.gov.in

Website : www.cipet.gov.in

Head Office : Guindy, Chennai - 600 032



PLASTIC TESTING CENTRE  
TEST CERTIFICATE

13817

Issued to

Alcolite India Road Safety Pvt Ltd  
Kh.No-37/23,Ground Floor,  
Village Mundka ,Delhi-110041

Ref. No. and Date: आपका पत्र Ref. No. – NIL दिनांक:-04/05/2023



TC-10941

ULR No: TC1094124000000082F

Test Report No: 091F

Date: 14/06/2023

TEST REPORT AS PER PARTY REQUIREMENT

PART - A

PARTICULARS OF SAMPLE SUBMITTED

a)	Name of the Sample	:	Rumble Strips Sample as stated by party- reg.
b)	Grade / Variety / Type / Size/ Class	:	Nil
c)	Declared Value, if any	:	Nil
d)	Code No.	:	Nil
e)	Batch No. and Date of Manufacture	:	Nil
f)	Quantity	:	10 Nos. of sample as submitted by Party.
g)	Mode of Packing	:	Packed
h)	Sealed or not	:	Not Sealed
i)	Any other information	:	Test Sample received without signature of IO's
j)	Date of receipt of Sample	:	04/05/2023
k)	Date of Commencement of Test	:	09/05/2023
l)	Date of completion of testing	:	07/06/2023

Note:

1. This report, in full or part, shall not be published, advertised, used for any legal action, unless prior permission has been secured
2. This test report is only for the sample tested.

PART - B

SUPPLEMENTARY INFORMATIONS

a)	Reference to sampling procedure wherever applicable	:	Sample Supplied by the Party
b)	Supporting documents for the measurements taken and results derived like graphs, tables, sketches and/or Photographs as appropriate to test report, if any (to be attached).	:	As given in Part-C
c)	Deviation from the test methods as prescribed in relevant work instruction, if any	:	Nil

Contd....2/-

Tabrej Ahmad-(A.T.O.)  
Authorized Signatory

Dhanraj.J- (S.T.O.)  
Authorized Signatory



## Continuation Sheet

ULR No: TC109412400000082F

Test Report No.091F


Date: 14/06/2023

PART - C				
Test Results of Rumble Strip Sample as per Party Specification.				
Sl. No	Name of Test	Test Standard/ Method	Unit	Test Value Obtained
1.	Density	ASTMD792	gm/cc	1.16
PART - D				
Remarks: Nil				

- Note:
1. This Test Report / Certificate is issued only for the samples submitted to CIPET
  2. The results stated above related only to the items tested.
  3. The quality of the subsequent production lot has to be ensured by the purchaser.
  4. The test certificate shall not be reproduced in full except without the written approval of the laboratory.
  5. Selection of the samples for individual test have been done in accordance with respective clauses of standard
  6. Details of the subcontracted: NIL
  7. Remnant samples will be disposed after 03 months from the date of issue of test report.
  8. Statement of conformity of a specification or standard is provided by laboratory taking into account the level of risk associated/borderline case with the decision rule employed.



**Tabrej Ahmad- (A.T.O.)**  
Authorized Signatory



**Dhanraj.J- (S.T.O.)**  
Authorized Signatory

# केंद्रीय पेट्रोकेमिकल्स इंजीनियरिंग

## एवं तकनीकी संस्थान (सिपेट)

(पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान)

रसायन एवं पेट्रोरसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

डी सी आर यू एस टी कैम्पस, 50 माईल स्टोन,

एन एच-1 मुरथल, जिला-सोनीपत-131039(हरियाणा)

फोन : 0130-2203000-29

फैक्स : 0130-2203010

ई-मेल : murthal@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : गिण्डी, चेन्नई - 600 032



CIPET सिपेट

probe - perform - practice -Plastics



CENTRAL INSTITUTE OF PETROCHEMICALS

ENGINEERING & TECHNOLOGY (CIPET)

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Near DCRUST Campus, 50th Mile Stone, NH-1

Murthal, Distt. Sonapat-131039 (Haryana)

Phone : 0130-2203000-29

Fax : 0130-2203010

E-mail : murthal@cipet.gov.in

Website : www.cipet.gov.in

Head Office : Guindy, Chennai - 600 032



PLASTIC TESTING CENTRE  
TEST CERTIFICATE

13819

Issued to

Alcolite India Road Safety Pvt Ltd

Kh.No-37/23,Ground Floor,

Village Mundka ,Delhi-110041

Ref. No. and Date: आपका पत्र Ref. No. - NIL दिनांक:-04/05/2023

Test Report No: 091N

Date: 14/06/2023

### TEST REPORT AS PER PARTY REQUIREMENT

#### PART - A

#### PARTICULARS OF SAMPLE SUBMITTED

a)	Name of the Sample	: Rumble Strips Sample as stated by party- reg.
b)	Grade / Variety / Type / Size/ Class	: Nil
c)	Declared Value, if any ,	: Nil
d)	Code No.	: Nil
e)	Batch No. and Date of Manufacture	: Nil
f)	Quantity	: 10 Nos. of sample as submitted by Party.
g)	Mode of Packing	: Packed
h)	Sealed or not	: Not Sealed
i)	Any other information	: Test Sample received without signature of IO's
j)	Date of receipt of Sample	: 04/05/2023
k)	Date of Commencement of Test	: 09/05/2023
l)	Date of completion of testing	: 07/06/2023

Note:

1. This report, in full of part, shall not be published, advertised, used for any legal action, unless prior permission has been secured
2. This test report is only for the sample tested.

#### PART - B

#### SUPPLEMENTRY INFORMATIONS

a)	Reference to sampling procedure wherever applicable	: Sample Supplied by the Party
b)	Supporting documents for the measurements taken and results derived like graphs, tables, sketches and/or Photographs as appropriate to test report, if any (to be attached).	: As given in Part-C
c)	Deviation from the test methods as prescribed in relevant work instruction, if any	: Nil

Contd....2/-

Tabrej Ahmad- (A.T.O.)  
Authorized Signatory

Dhanraj.J- (S.T.O.)  
Authorized Signatory




## Continuation Sheet


Test Report No.091N  
Date:14/06/2023

PART - C				
Test Results of Rumble Strip Sample as per Party Specification.				
Sl. No	Name of Test	Test Standard/ Method	Unit	Test Value Obtained
1.	Dimension	-	cm	50.1
	Length			
	Width			
	Height			
2.	Visual Appearance (Colour)	-	-	Yellow
3.	Hardness (Shore D)	ASTMD 2240	-	96
4.	UV Resistance Test @24 Hrs	ASTMG154	-	There is no visual Change Observed on the surface.
PART - D				
Remarks: Nil				

- Note:
1. This Test Report / Certificate is issued only for the samples submitted to CIPET
  2. The results stated above related only to the items tested.
  3. The quality of the subsequent production lot has to be ensured by the purchaser.
  4. The test certificate shall not be reproduced in full except without the written approval of the laboratory.
  5. Selection of the samples for individual test have been done in accordance with respective clauses of standard
  6. Details of the subcontracted: NIL
  7. Remnant samples will be disposed after 03 months from the date of issue of test report.
  8. Statement of conformity of a specification or standard is provided by laboratory taking into account the level of risk associated/borderline case with the decision rule employed.



Tabrej Ahmad- (A.T.O.)  
Authorized Signatory



Dhanraj.J- (S.T.O.)  
Authorized Signatory

**Document No. : CIPM/QF/8.9.2 – Customer Satisfaction feedback form**

**CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING AND TECHNOLOGY**

Centre- MURTHAL

Department: TESTING

**CUSTOMER SATISFACTION FEEDBACK FOR TECHNICAL SERVICES/ CONSULTANCY**

Name of the Customer:

Please tick mark  at appropriate box against each point.

Description	Rating									
	Performance					Importance				
	Excellent (10)	Very Good (8)	Good (6)	Satisfactory (4)	Poor (2)	Excellent (10)	Very Good (8)	Good (6)	Satisfactory (4)	Poor (2)
1. Quality of work										
2. Delivery Schedule/Adherence to Delivery Schedule										
3. Accessibility, Attitude of relevant Institute Officials & Communication (Enquiry, Quotations, Invoice, Receipt)										
4. Responsiveness and ability to resolve rejection and complaints.										
5. Handling customer property (Material, Mould, Component & Drawing)										

Would you recommend other to avail CIPET Services Yes  No

Please give your suggestion if any, for taking necessary corrective action and improvement in our services-in the space below or attach enclosures.

Place :

Date :

CUSTOMER SATISFACTION INDEX (for office use only)

Signature of customer